

WEST Search History

DATE: Tuesday, December 21, 2004

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L1	protein near (RAF or Ral or GDS or MEKK or P13K)	615
<input type="checkbox"/>	L2	L1 near (bind or bound)	21
<input type="checkbox"/>	L3	L2 near (nucleic acid or RNA or DNA or oligomer or aptamer)	0
<input type="checkbox"/>	L4	L1 near (nucleic acid or RNA or DNA or oligomer or aptamer)	15
<input type="checkbox"/>	L5	L4 sme (bind or bound)	0
<input type="checkbox"/>	L6	(RAF or Ral or GDS or MEKK or P13K) near (bind\$ or bound\$)	187
<input type="checkbox"/>	L7	L6 near (nucleic acid or RNA or DNA or aptamer or oligonucleotide or polynucleotide or oligomer)	3
<input type="checkbox"/>	L8	(RAF or Ral or MEKK or P13K) near (bind\$ or bound\$)	122
<input type="checkbox"/>	L9	L8 same (nucleic acid or RNA or DNA or aptamer or oligonucleotide or polynucleotide or oligomer)	23
<input type="checkbox"/>	L10	(RAF-1 near (bind\$ or anneal\$ or hybridiz\$ or bound\$) near (nucleic acid or RNA))	2
<input type="checkbox"/>	L11	(RAF-1 same (bind\$ or anneal\$ or hybridiz\$ or bound\$)same (nucleic acid or RNA))	26
<input type="checkbox"/>	L12	(RAF-1 same (bind\$ or anneal\$ or hybridiz\$ or bound\$)same (nucleic acid or RNA or aptamer))	26
<input type="checkbox"/>	L13	((nucleic acid or DNA or RNA or oligonucleotide or polynucleotide) near (protein or product) near RAS)	12
<input type="checkbox"/>	L14	((nucleic acid or DNA or RNA or oligonucleotide or polynucleotide) near (bind\$ or hybridiz\$ or bound\$ or anneal\$))	70022
<input type="checkbox"/>	L15	L14 near (Ras or RAs protein)	91
<input type="checkbox"/>	L16	L15 near RNA	6
<input type="checkbox"/>	L17	L15 near (Ras binding domain)	0
<input type="checkbox"/>	L18	L15 and (ras Binding domain)	1
<input type="checkbox"/>	L19	L14 same (Ras binding domain)	3
<input type="checkbox"/>	L20	Yokoyama-S\$.in. or Hirao-IS.in. or Sakamoto-K\$.in.	14112
<input type="checkbox"/>	L21	L20 and (ras binding domain or ras)	54
<input type="checkbox"/>	L22	L21 and (RNA or nucleic acid)	8
<input type="checkbox"/>	L23	L14 same ((ras near protein)or (ras binding near protein))	61
<input type="checkbox"/>	L24	L14 near ((ras near protein)or (ras binding near protein))	1
<input type="checkbox"/>	L25	4871838.pn.	2

- | | | | |
|--------------------------|-----|----------------------------------|----|
| <input type="checkbox"/> | L26 | Avruch-J\$.in. and ras | 17 |
| <input type="checkbox"/> | L27 | L26 and (nucleic acid same raf) | 4 |

END OF SEARCH HISTORY

L2 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS on STN
 AN 1995:557711 CAPLUS
 DN 122:305723
 ED Entered STN: 18 May 1995
 TI Screening method for identifying inhibitors of **ras** - protein
 partner interactions.
 AU **Hudson, Kevin; Ellston, Jonathan M.**
 CS Cancer Research Dept., Zeneca Pharmaceuticals, Alderley Park/Macclesfield,
 SK10 4TG 37134, UK
 SO Research Disclosure (1995), 371, 158 (No. 37134)
 CODEN: RSDSBB; ISSN: 0374-4353
 DT Journal; Patent
 LA English
 CC 1-1 (Pharmacology)

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI RD 371034		19950310		
PRAI RD 1995-371034		19950310		

AB A **ras**/raf interaction assay is described in which the **ras**-binding domain of c-raf-1 is immobilized on the flash plate and then **ras**, pre-loaded with tritium-radiolabeled GTP, is added. Binding of **ras**-GTP to immobilized raf juxtaposes the radiolabel to the scintillant, generating a signal (1500 cpm). The signal is decreased to background (200 cpm) through: (i) loading **ras** with radiolabeled-GDP instead of GTP, which gives non-active **ras** protein; (ii) addition of peptide inhibitors such as **ras** 17-44 (IC50 = 20 µM); (iii) addition of novel **ras**/raf inhibitors. The same methodol. could be applied to establish assays involving other **ras** effectors. The inhibition of signalling by oncogenic **ras** proteins is an attractive anticancer target.

ST **ras** raf protein interaction assay

IT Proteins, specific or class

RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
 (Kirsten-**ras**, p21; screening method for identifying
 inhibitors of **ras**-raf protein partner interactions in
 relation to cancer inhibition)

IT Neoplasm inhibitors

(screening method for identifying inhibitors of **ras**-raf
 protein partner interactions in relation to cancer inhibition)

IT Phosphoproteins

RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)
 (gene c-raf-1, screening method for identifying inhibitors of
ras-raf protein partner interactions in relation to cancer
 inhibition)

=> FIL STNGUIDE

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
15.06	15.27

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-0.70	-0.70

CA SUBSCRIBER PRICE

FILE 'STNGUIDE' ENTERED AT 13:55:17 ON 21 DEC 2004

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE

AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: Dec 17, 2004 (20041217/UP).